



New Results and Insight Into Tropospheric Composition - (TES) Tropospheric Emission Spectrometer

Michael R. Gunson and Annmarie Eldering
Jet Propulsion Laboratory
California Institute of Technology

(<u>Michael.Gunson@jpl.nasa.gov</u>) (<u>Annmarie.Eldering@jpl.nasa.gov</u>)

IGARSS August 2, 2006






Tropospheric ozone and other gases

- The challenge and why
- The how to do 'it'
- Did 'it' work
- What we are trying to do with 'it'
- What else is happening
- What next



ENVIRONMENTAL IMPACTS OF ATMOSPHERIC OZONE





August 2, 2006


Tropospheric Emission Spectrometer

Jacob (Harvard)



Tropospheric ozone and its precursors are a key measure of air quality and the characterization of the chemical and dynamic processes governing their magnitude and distribution is one of the central extant scientific challenges








Characterization of the vertical distribution of ozone is critical to understanding its role in air quality and climate






10% and 20% of lower tropospheric ozone originates from the upper and middle troposphere in the northern mid-latitudes

20-30% of the lower tropospheric ozone reaches the upper and middle troposphere in the northern mid-latitudes


Fractional contribution of source regions to zonal mean ozone distribution for a GEOS-Chem simulation for a climatological period


The lifetime of ozone is strongly dependent on its altitude



Driving requirements







Spectrometer Type Connes'-type 4-port FTS Max. Optical Path Difference \$\pmu\$ 33.8 cm (limb) Scan (integration) Time Sampling Metrology Spectral Resolution (unap) Spectral Coverage Spectral Coverage 650 to 3050 cm ⁻¹ (limb) Spectral Coverage 650 to 3050 cm ⁻¹ (3.2 to 15.4 mm) in 200 - 300 cm ⁻¹ bands Detector Arrays 4 (1 x 16) arrays, optically-conjugated, all MCT PV @65K Signal-to-Noise Ratio (spectral) Minimum requirement is 30:1 Radiometric Calibration Internal, adjustable, cavity blackbody (340K + cold space view) Spatial Calibration Illuminated slit scanned across FOV		
Difference ± 33.8 cm (limb) Scan (integration) 4 sec (nadir & calibration) Time 16 sec (limb) Sampling Nd:YAG laser Metrology Spectral 0.07 cm-1 (nadir) Resolution (unap) 0.018 cm-1 (limb) Spectral Coverage 650 to 3050 cm-1 (3.2 to 15.4 mm) in 200 – 300 cm-1 bands Detector Arrays 4 (1 x 16) arrays, optically-conjugated, all MCT PV @65K Signal-to-Noise Ratio (spectral) Up to 200:1 Radiometric Internal, adjustable, cavity blackbody (340K calibration to the cold space view	Spectrometer Type	Connes'-type 4-port FTS
Difference ± 33.8 cm (limb) Scan (integration)	Max Ontical Path	+ 8 45 cm (nadir & calibration)
Time 16 sec (limb) Sampling Nd:YAG laser Metrology Spectral 0.07 cm ⁻¹ (nadir) Resolution (unap) 0.018 cm ⁻¹ (limb) Spectral Coverage 650 to 3050 cm ⁻¹ (3.2 to 15.4 mm) in 200 – 300 cm ⁻¹ bands Detector Arrays 4 (1 x 16) arrays, optically-conjugated, all MCT PV @65K Signal-to-Noise Ratio (spectral) Up to 200:1 Radiometric Internal, adjustable, cavity blackbody (340K + cold space view	•	,
Time 16 sec (limb) Sampling Nd:YAG laser Metrology Spectral 0.07 cm ⁻¹ (nadir) Resolution (unap) 0.018 cm ⁻¹ (limb) Spectral Coverage 650 to 3050 cm ⁻¹ (3.2 to 15.4 mm) in 200 – 300 cm ⁻¹ bands Detector Arrays 4 (1 x 16) arrays, optically-conjugated, all MCT PV @65K Signal-to-Noise Ratio (spectral) Up to 200:1 Radiometric Internal, adjustable, cavity blackbody (340K + cold space view	Scan (integration)	4 sec (nadir & calibration)
Metrology Spectral Resolution (unap) Spectral Coverage 650 to 3050 cm ⁻¹ (3.2 to 15.4 mm) in 200 – 300 cm ⁻¹ bands Detector Arrays 4 (1 x 16) arrays, optically- conjugated, all MCT PV @65K Signal-to-Noise Ratio (spectral) Radiometric Calibration University of the property of	, ,	
Spectral Resolution (unap) O.07 cm ⁻¹ (nadir) O.018 cm ⁻¹ (limb) Spectral Coverage 650 to 3050 cm ⁻¹ (3.2 to 15.4 mm) in 200 – 300 cm ⁻¹ bands Detector Arrays 4 (1 x 16) arrays, optically- conjugated, all MCT PV @65K Signal-to-Noise Ratio (spectral) Radiometric Calibration O.07 cm ⁻¹ (nadir) O.018 cm ⁻¹ (limb) Heading One of the property of the prop	·	Nd:YAG laser
Resolution (unap) O.018 cm ⁻¹ (limb) Spectral Coverage 650 to 3050 cm ⁻¹ (3.2 to 15.4 mm) in 200 – 300 cm ⁻¹ bands Detector Arrays 4 (1 x 16) arrays, optically- conjugated, all MCT PV @65K Signal-to-Noise Ratio (spectral) Up to 200:1 Minimum requirement is 30:1 Radiometric Calibration Internal, adjustable, cavity blackbody (340K + cold space view		0.07 cm ⁻¹ (nadir)
Spectral Coverage 650 to 3050 cm ⁻¹ (3.2 to 15.4 mm) in 200 – 300 cm ⁻¹ bands Detector Arrays 4 (1 x 16) arrays, optically- conjugated, all MCT PV @65K Signal-to-Noise Ratio (spectral) Radiometric Calibration Calibration Calibration 650 to 3050 cm ⁻¹ (3.2 to 15.4 mm) in 200 – 300 cm ⁻¹ bands Up to 200:1 Minimum requirement is 30:1 Internal, adjustable, cavity blackbody (340K) + cold space view	-	
(3.2 to 15.4 mm) in 200 – 300 cm ⁻¹ bands Detector Arrays 4 (1 x 16) arrays, optically- conjugated, all MCT PV @65K Signal-to-Noise Ratio (spectral) Winimum requirement is 30:1 Radiometric Calibration (3.2 to 15.4 mm) in 200 – 300 cm ⁻¹ bands 4 (1 x 16) arrays, optically- conjugated, all MCT PV @65K Up to 200:1 Minimum requirement is 30:1 Internal, adjustable, cavity blackbody (340K) + cold space view	Resolution (unap)	0.016 CIII (IIIIID)
(3.2 to 15.4 mm) in 200 – 300 cm ⁻¹ bands Detector Arrays 4 (1 x 16) arrays, optically- conjugated, all MCT PV @65K Signal-to-Noise Ratio (spectral) Winimum requirement is 30:1 Radiometric Calibration (3.2 to 15.4 mm) in 200 – 300 cm ⁻¹ bands 4 (1 x 16) arrays, optically- conjugated, all MCT PV @65K Up to 200:1 Minimum requirement is 30:1 Internal, adjustable, cavity blackbody (340K) + cold space view	Spectral Coverage	650 to 3050 cm ⁻¹
in 200 – 300 cm ⁻¹ bands Detector Arrays 4 (1 x 16) arrays, optically- conjugated, all MCT PV @65K Signal-to-Noise Ratio (spectral) Radiometric Calibration Up to 200:1 Minimum requirement is 30:1 Internal, adjustable, cavity blackbody (340K + cold space view		(3.2 to 15.4 mm)
conjugated, all MCT PV @65K Signal-to-Noise		
conjugated, all MCT PV @65K Signal-to-Noise	Detector Arrays	4 (1 x 16) arrays, optically-
Ratio (spectral) Radiometric Calibration Minimum requirement is 30:1 Internal, adjustable, cavity blackbody (340K + cold space view	-	
Radiometric Internal, adjustable, cavity blackbody (340K + cold space view	Signal-to-Noise	Up to 200:1
Calibration + cold space view	Ratio (spectral)	Minimum requirement is 30:1
•	Radiometric	Internal, adjustable, cavity blackbody (340K)
Spatial Calibration Illuminated slit scanned across FOV	Calibration	+ cold space view
	Spatial Calibration	Illuminated slit scanned across FOV
Radiometric < 1K 650 – 2500 cm ⁻¹	Radiometric	< 1K 650 – 2500 cm ⁻¹
Accuracy < 2K 2500 – 3050 cm ⁻¹	Accuracy	< 2K 2500 – 3050 cm ⁻¹








- •Fourier transform spectrometer
- •Wavelength response: 5 to 15.4 micron
- •One scan every 4 or 16 secs
- •Four optically-conjugated 1x16 pixel detector arrays
- •Spatial resolution of 5 x 8 km at nadir & 2.3 km at limb
- Passively cooled
- •2-axis gimbaled pointing mirror





E@S











 $Tgt_Spectrum_Run0000003202_Seq0000023_Scan000003$









First look......






TES Level3 Image: C0, Run = 2147, Trop Col Density (10¹⁸ mol/cm²) Institute of Technology







TES Level3 Image: Ozone, Run=2147, Pressure = 681.3 hPa
fin Value = 5.1 ppb, Max Value = 78.2 ppb, Using Along Orbit Interpolated L2 Dat



TES Level3 Image: CO, Run = 2147, Pressure = 681.3 hPa Min Value = 44.1 ppb, Max Value = 421.1 ppb, Using Along Orbit Interpolated L2 Data





August 2, 2006









Ozonesondes

Payerne (47 ° N, 7° E)








Tropical Tropospheric Ozone Column : Comparison between TES, GEOS-CHEM and GOME






Jourdain and Li




Comparison TES and GEOS-CHEM 1-15 November 2004, 350hPa






(TES-GEOS_CHEM)/GEOS-CHEM%



Tropics (30N-30S)



August 2, 2006

Tropospheric Emission Spectrometer

Jourdain and Li




Tropical Atlantic 'Ozone Paradox'



TOMS Tropospheric Ozone Columns (Martin et al., 2002)

Biomass burning emissions (Duncan et al., 2003)



August 2, 2006

-100

-50

20

50

Dobson Units


-150

Tropospheric Emission Spectrometer



Tropical Atlantic 'Ozone Paradox'







February - March

Adding another factor to the South Atlantic 'Ozone Paradox'





Pathway of Asian ozone pollution



Tropical Tropospheric Ozone (TTO)

hugely extended plume of the air pollutant ozone.

Orange and red colors indicate 35 and 40 "Dobson units" of ozone.


Chatfield et al., GRL 2003




Tropical Ozone Paradox Resolved




TES tropical Atlantic observations of ozone







- There is a long standing difference between balloon/ in-situ observations of ozone and ozone columns from instruments such as TOMS
- TES provides the first observation from space resolving lower and upper tropospheric ozone over the Tropical Atlantic Ocean during the Northern Africa biomass burning season.
- TES observations shows the elevated ozone north of the equator which corresponds to the Hartmattan winds that bring dust off the Sahara as well as biomass emissions.

Trajectories show how air is brought off of African coast







GEOS-CHEM predictions of ozone

August 2, 2006


Tropospheric Emission Spectrom




Summertime Ozone Maximum over the Southern U.S.










A large maximum in ozone (>80 ppb) in the upper troposphere across the southern U.S. The upper tropospheric anticyclone centered over the southern U.S. can circulate convective outflow over the U.S. for several days before eventual export to the Atlantic. Rapid ozone production (up to 10 ppb/day) takes place in the circulating outflow.




Li et al. [JGR, 2005]





Evolution of ozone through SE North America




Enhanced ozone in the troposphere over Eastern Mexico, South Texas and the Gulf of Mexico (~20-30° N) in Summer of 2005. The differences are seen in both the upper and lower troposphere.







Assimilation of TES CO into the GEOS-CHEM CTM



August 2, 2006

Tropospheric Emission Spectrometer


Richards and Li



Assimilation of TES CO into the GEOS-CHEM CTM



NOAA HYSPLIT MODEL
Backward trajectories ending at 17 UTC 15 Nov 04
CDC1 Meteorological Data









For more info and links to data centers:

tes.jpl.nasa.gov





Backup Slides



TES O3 and CO maps for November 4-16





Elevated ozone over Atlantic

Elevated ozone over Indonesia/Australia

Transport from Africa and/or Australia?

Elevated CO over continents








Signatures of biomass burning




MODIS fire counts November 5-15



Red indicates at least one fire count Yellow indicates a large number of fire counts

MODIS map obtained from http://rapidfire.sci.gsfc.nasa.gov/firemaps/?2005211-2005220

Sciamachy absorbing aerosol index (AAI) November 2004



August 2, 2006





NO_x signatures and distributions



Sciamachy data indicates particularly high NO₂ columns in Australia and South Africa

Lightning flash counts are high over South America, Africa, and Indonesia/Australia






Sciamachy data available at http://www.temis.nl/airpollution/no2.html

Bowman



CR-AVE and INTEX-B








Dynamics and STE





August 2, 2006

Tropospheric Emission Spectrometer


Irion et al.





Off-shore ozone plume in California coastal regions




Wind fields implicate central valley pollution as a primary contributor to coastal plume










Ozone precursor NO2 observed by Sciamachy to be high throughout urban areas and central valley


J. Worden et al.















August 2, 2006









August 2, 2006





Tropospheric ozone TES and Ozonesondes












H. Worden and Logan



Comparison TES and GEOS-CHEM 1-15 November 2004, 500hPa





For comparison with GEOS-CHEM:
$$\ln \hat{\mathbf{x}}_{\text{model}} = \ln \mathbf{x}_{\mathbf{a}} + \mathbf{A} \left(\ln \mathbf{x}_{\text{model}} - \ln \mathbf{x}_{\mathbf{a}} \right)$$

August 2, 2006


Tropospheric Emission Spectrometer


Jourdain and Li




Comparison to MOPITT and Sciamachy tropospheric CO







Sciamachy near-infrared CO tropospheric column estimates



MOPITT maps obtained from http://www.eos.ucar.edu/mopitt/data/plots/mapsv3 mon.html

Sciamachy maps provided courtesy of Annemieke Gloudemans at SRON

Gridded at 1x1deg from MOP02-200411??-L2V5.*.hdf (apriori fraction < 50%)


Elevated CO is observed between TES, MOPITT, and Sciamachy over South America, Africa, and Australia/Indonesia

A CO "plume" is observed by TES and MOPITT from the east of Australia extending across the south Pacific



Mean Ozone and CO profiles November 4-16









Comparison to the SHADOZ Network








Shadoz mean of ozone was calculated from 1998-2004 for the month of November based on 11 sites covering a latitudinal and longitudinal range of 21S to 3N


Averages for November of 2004 are also included





Comparisons to GEOS-Chem CO





Tropospheric Emission Spectrometer



Comparison to GEOS-Chem O₃



